

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6237061".pn.	USPAT	OR	OFF	2004/11/17 09:45
S2	1	"6205488".pn.	USPAT	OR	OFF	2004/11/17 09:46
S3	1	"6154384".pn.	USPAT	OR	OFF	2004/11/17 09:46
S4	24	"6137707"	USPAT	OR	OFF	2004/11/17 09:47
S5	0	"6137707.pn."	USPAT	OR	OFF	2004/11/18 15:17
S6	1	"6137707".pn.	USPAT	OR	OFF	2004/11/17 09:47
S7	2	"6081440".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:48
S8	2	"6061712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:49
S9	2	"6055561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:18
S10	2	"6052683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:51
S11	2	"6044005".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:51
S12	2	"5991300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:52
S13	2	"5841874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 09:53

S14	2	"5386413".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 10:46
S15	2	"6065064".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 10:47
S16	476	711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:19
S17	13	S16 and (TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:42
S18	1092	709/238.ccls.	USPAT	OR	OFF	2004/11/17 13:21
S19	191	711/212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:42
S20	0	S19 and (TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:43
S21	149	(TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:49
S22	1	S19 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:49

S23	0	S18 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:49
S24	3	S18 and (TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 13:51
S26	75	(TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:25
S27	7	(TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM)) with (partition\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:25
S28	2	"6813680".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:22
S29	2	"6687785".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:23
S30	2	"6763425".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:23
S31	2	"6542391".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:24

S32	3	"6711041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:24
S33	2845	(CAM) with (partition\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:26
S34	58	S33.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:26
S35	2860	(CAM (content adj address\$6 adj memor\$3)) with (partition\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:27
S36	76	S35.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:27
S37	405	S35.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 14:27
S38	6	S35.ab. and (rout\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:27
S39	2	"6542391".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:27

S40	2	S39 and (class\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:57
S41	2	"5860085".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 16:06
S42	0	"6324087".pn. and (mask\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:00
S43	2	"6374326".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:50
S44	4756	(associat\$7 adj memor\$7).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:51
S45	1781	(associat\$7 adj memor\$7).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 10:51
S46	53	S44 and 711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:20
S47	1	compar\$8 and "6502163".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:33

S48	2	"6505270".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:34
S49	2	"6266262".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 12:34
S50	2	"6081440".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:36
S51	0	"6324087".pn. and (MPLS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 13:37
S52	1	"6324087".pn. and (vpn)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:34
S53	0	(policy near3 rout\$5 with flow\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:36
S54	2	(policy with rout\$5 with flow\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:37
S55	10	(policy with rout\$5 with flow\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:41

S56	0	(mask\$5) and "6324087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 14:53
S57	125	((access adj control adj list\$1) ACL).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:31
S58	0	S57 and 709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:15
S59	3	S57 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:16
S60	0	S59 and (policy with flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:19
S61	2	"6055561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:18
S62	0	S61 and (policy with flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:28
S63	0	S61 and (policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:20

S64	2	"5991300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:20
S65	2	S64 and (policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:20
S66	2	"6065064".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:22
S67	0	"6065064".pn. and (policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:22
S68	0	S57 and (policy with flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:29
S69	1	S57 and (polic\$3 with flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:30
S70	105	(policy adj base\$2 adj rout\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:31
S71	44	S70 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:31



S72	20	((access adj control adj list\$1) ACL) and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:44
S73	12	((access adj control adj list\$1) ACL) and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:31
S74	47	(S71 S72) and (flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:45
S75	1388	((connection adj index) cix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:46
S76	133	((destination adj address\$2) DA) and ((connection adj index\$2) cix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:16
S77	12	S76 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:50
S78	0	S76 and 711/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:51
S79	76	S76 and (memory CAM (associated adj memory) TCAM (ternary adj (cam)) (content adj addressable adj memory) (ternary adj content adj addressable adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 15:57

S80	0	((destination adj address\$2) DA) and ((connection adj index\$2) cix). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:16
S81	0	((destination adj address\$2) DA) and ((connection adj index\$2) cix)). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:16
S82	0	((destination adj address\$2) DA) and ((connection adj index\$2) cix)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:17
S83	133	((destination adj address\$2) DA) and ((connection adj index\$2) cix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:22
S84	2	((destination adj address\$2) DA) with ((connection adj index\$2) cix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:38
S86	19	((destination adj address\$2) DA) same ((connection adj index\$2) cix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 10:20
S87	17	S83 and (tree\$1 (prefix adj tree\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 14:14
S88	2	"6278995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:34

S89	2	"6295532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:57
S90	102	(prefix adj tree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 11:57
S91	11	(prefix adj tree\$1).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 14:15
S92	39	(prefix adj tree\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 13:14
S93	0	"6295532".pn. and (ACL\$1 (access adj control adj list\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 13:15
S94	1	"6295532".pn. and (policy with flow\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 13:15
S95	0	S83 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 14:12
S96	0	S83 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 14:12

S97	1	S83 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/22 14:14
S98	1	"6502163".pn. and (software logic\$2 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:44
S99	83	(prefix adj match\$3) with (software logic\$2 program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:59
S10 0	664278	TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM) CAM (content adj address\$6 adj memor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:51
S10 1	11	S99 same S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:56
S10 2	42	S99 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:56
S10 3	74	(prefix adj match\$3) with (software program\$1 code\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:59
S10 4	8	S103 same S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 11:00

S10 5	74	(prefix adj match\$3) with (software program\$1 code\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:06
S10 6	74	(prefix adj match\$3) with (software program\$1 code\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:04
S10 7	664278	TCAM (ternary adj content adj address\$6 adj memor\$3) (ternary adj CAM) CAM (content adj address\$6 adj memor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:05
S10 8	241	S107 with system with rout\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:06
S10 9	43	S108.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:12
S11 0	11	S108.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:06
S11 1	8	S105 same S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:10
S11 2	4	S109 and "74"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:12

S11 3	152	S108 and (software program\$8 code coding instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:21
S11 4	7	S109 and (software program\$8 code coding instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:14
S11 5	2	"6516383".pn. and (software code program\$4 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:25
S11 6	2	"6237061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:25
S11 7	0	S116 and (software code program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:27
S11 8	1	"5841874".pn. and (software code program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:27
S11 9	0	"6137707".pn. and (software code program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:28
S12 0	2	"6324087".pn. and (software code program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:28

S12 1	8619	S107 with (software code program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:29
S12 2	5496	S107 with (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:30
S12 3	27	S105 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:49
S12 4	47	(prefix adj match\$3) with (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:55
S12 5	18	S124 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:01
S12 6	402	(longest adj prefix) and (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:02
S12 7	2	(longest adj prefix) near2 (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:02
S12 8	151	(prefix) near2 (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:02

S12 9	200	(prefix\$2) near2 (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:04
S13 0	35	S129 and (routing router\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:04
S13 1	1422	(prefix\$2) with (software program\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:04
S13 2	340	S131 and (routing router\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:04
S13 3	363	(prefix near2 (match\$3 long\$2 length)) with (software program\$1 code\$1 instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:07
S13 4	370	(prefix near2 (match\$3 long\$3 length)) with (software program\$1 code\$1 instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:07
S13 5	44	S134 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:07
S13 6	110	(prefix near2 (match\$3 long\$2 length)) with (software program\$1 instructions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:07



S13 7	30	S136 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:06
S13 8	128	((software program\$1 instructions) with S107) same (router\$1 routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:25
S13 9	6038	((software program\$1 instructions) with S107)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:25
S14 0	784	((software program\$1 instructions) with S107).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:26
S14 1	183	((software program\$1 instructions) with S107).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:30